Lifecycle Change Notice

Issue REV# 2

Models 3088A (C,D,K and I)

Notice Date: 11/21/2017

LifeCycle Change FROM: **GREEN** TO: **ORANGE** Manufacture Discontinue Date (MD) 11/21/2017 Last Order Date: Estimated to be 12/15/2017(pending stock availability)

Introduction

This Lifecycle Change Notice involves a change to the Patton 3088A (C,D,K, and I) models of G.SHDSL CPE. These products are now officially coded ORANGE on the product availability schedule. They will remain ORANGE until the remaining stock is depleted and at that point will be moved to RED.

Contacts

Sales: sales@patton.com

Product Management: Name: Johnnie Grant Email: jgrant@patton.com Phone: 240-912-1243

Definitions

(Yellow) Special Order – formal communication of Patton Electronics' intent to make this product(s) special order due to a long term change in demand or component/supplier issues.

Early alert of impending availability issues due to one or more of the following conditions:

- o there are obsolescence issues with required components
- o declining product sales no longer cost-justify production
- o the product is replaced by an updated form, fit, and function equivalent

Careful consideration should be made when considering this product(s) for new installations or designs.

Non-Standard terms such as "Last-time-buy" terms and conditions may apply. Minimum Order Quantity (MoQ), extended lead times and price increases are to be expected.

Software maintenance activities have subsided or ceased pending which of the above availability issues are causing the Yellow status.

Product repairs will be performed in accordance with customer specific service plans and upgrade agreements as negotiated prior to Change in Lifecycle status or for up to 1 year past the purchase date.

Product technical support will continue to fully support the product.

Product warranty will be valid for any units purchased for up to 1 year past the purchase date or as required by law. Yellow products may, or may not be eligible for extended or enhanced warranties

(Orange) Sunset Definition – formal communication of Patton Electronics' intent to end the life of the product(s) noted.

Final alert of impending availability issues due to one or more of the following conditions:

- o there are obsolescence issues with required components
- o declining product sales no longer cost-justify production
- o the product is replaced by an updated form, fit, and function equivalent

Product(s) should not be considered for new installations or designs.

Orders that are accepted will be under "Last-time-buy" terms and conditions. Minimum Order Quantity (MoQ), extended lead times and price increases are also to be expected.

Software maintenance unless contractually agreed to otherwise, has ceased.

Product repairs may be performed in accordance with customer specific service plans and upgrade agreements as negotiated prior to Change in Lifecycle status or for up to 1 year past the purchase date.

Product technical support will continue to fully support the product.

Product warranty will be valid for any units purchased for up to 1 year past the purchase date or as required by law. Orange products are not eligible for extended or enhanced warranties.

(Red) End of Life Definition –formal communication of Patton Electronics' the product(s) is low now End of Life.

Product repairs may be performed in accordance with customer specific service plans and upgrade agreements as negotiated prior to EOL or for up to 1 year past the purchase date. Patton reserves the right to repair or replace the equipment with a next generation replacement should one exist.

Product technical support will be provided for any units purchased for up to 1 year past the purchase date.

Product warranty will be valid for any units purchased for up to 1 year past the purchase date or as required by law. Red products are not eligible for extended or enhanced warranties.

Alternative/Replacement Products/Solutions

There are no replacements for the C (V.35), D (X.21) and K (E1) modems. The product replacement for the 3088A/I is the OS2300 or OS3300. Both OS2300 and OS3300 models are backwards compatible to the 3088A/I in 2 wire mode. The new OS2300 model will offer higher top speeds, longer reach and a 4-wire (2-pair) option. The OS2300 retains the dipswitch for basic management like the CL1314, but also includes the option to manage the modems via WEB, Telnet, or Patton Wizard.

OnSite 3300 G.SHDSL Router	OnSite 2300 G.SHDSL CPE
 Symmetrical Line rates up to 15.3 Mbps per wire pair 	 Symmetrical Line rates up to 15.3 Mbps per wire pair
 Available in 1, 2 and 4 pair options 	 Available in 1 and 2 pair options
 Max bandwidth up to 60Mbps symmetrical bonding 4 pair 	 Max bandwidth up to 30Mbps symmetrical bonding 2 pair
 4 x 10/100BaseTX 	 4 x 10/100BaseTX
 1 x USB2.0 	 Switching and QoS, STP, MSTP, 802.1P/Q
 IP Routing, Firewall, ACLs, NAT/NAPT, DNS, SNTP 	 SNMPv1,v2,v3, HTTP/HTTPS, SSH, TACACS+
 Switching and QoS, STP, MSTP, 802.1P/Q 	 Dipswitch Management
 SNMPv1,v2,v3, HTTP/HTTPS, SSH, TACACS+ 	 Dimensions: 4.7x1.52x5.00 in. (106 x 390 x 127 mm)
 Optional Licenses: VPN, Failover, SIP, Cellular 	 AC power options; Requires 5VDC input
 Dimensions: 7.3x6.6x1.62 inch (185 x 168 x 41 mm) 	
 AC power options; Requires 12VDC input 	

Related Product and Sales & Marketing Bulletins (if applicable)

Not applicable.

Products Affected

Model EOL	Model Replacement	Manufacture Discontinue Date
3088A/CA	NONE	11/21/2017
3088A/D	NONE	11/21/2017
3088A/K	NONE	11/21/2017
3088A/I	OS3300 or OS2300 Series	11/21/2017

Please enquire with <u>sales@patton.com</u> for product availability and remaining stock.